European Respiratory Society Annual Congress 2013

Abstract Number: 5064

Publication Number: P4667

Abstract Group: 7.1. Paediatric Respiratory Physiology

Keyword 1: Sleep studies Keyword 2: Sleep studies Keyword 3: Children

Title: Carbon dioxide monitoring during polygraphy in children with sleep-disordered breathing: Is it necessary?

Dr. Sonia 8960 Khirani sonia_khirani@yahoo.fr ^{1,2}, Dr. Jade 8961 Pautrat jadepautrat@hotmail.com MD ², Dr. Michèle 8981 Boulé michele.boule@trs.aphp.fr MD ^{3,4}, Dr. Nicole 8982 Beydon nicole.beydon@trs.aphp.fr MD ³ and Prof. Brigitte 8983 Fauroux brigitte.fauroux@trs.aphp.fr MD ^{2,4,5}. ¹ S2A Santé, Ivry sur Seine, France ; ² Pediatric Pulmonary Department, AP-HP, Hôpital Armand Trousseau, Paris, France ; ³ Lung Function and Sleep Unit, Physiology Department, AP-HP, Hôpital Armand Trousseau, Paris, France ; ⁴ Pierre et Marie Curie University, Paris 6, Paris, France and ⁵ Inserm U 955, Créteil, France

Body: Introduction Most adult sleep laboratories do not measure carbon dioxide (CO₂) routinely during polygraphy (PG). In children, CO₂ measurements are "recommended" but few studies have analyzed systematic CO₂ monitoring during PG. Objectives The aim of the study was to assess the prevalence and predictors of nocturnal hypercapnia in children with sleep-disordered breathing (SDB). Methods Systematic transcutaneous CO₂ (PtcCO₂) monitoring was performed during overnight PG. Three definitions of nocturnal hypercapnia were used: a maximal PtcCO₂>50 mmHg, percentage of sleep time with PtcCO₂>50 mmHg >2%, and a PtcCO₂>10 mmHg above waking baseline level. PtcCO₂ indices were correlated to the apnoea-hypopnoea index (AHI) and oxygenation indices (desaturation index, minimal SpO2 and percentage of time with SpO₂<90%). Results 221 PGs from patients with suspicion of obstructive sleep apnoea (72%), neuromuscular (21%) and lung diseases (7%) were analyzed. The percentage of hypercapnic patients ranged between 20 and 60%, and was not different between groups whatever the definition of hypercapnia. Significant but weak correlations were observed between hypercapnia according to the 3 definitions and the AHI (r=0.137, p=0.047 for maximal PtcCO₂) and oxygenation indices. The Receiver operating characteristic curves showed a poor sensitivity and specificity of the AHI and SpO₂ to predict nocturnal hypercapnia. Conclusion This study shows that 20 to 60% of children undergoing an overnight PG for SDB have nocturnal hypercapnia which is poorly correlated to the AHI and oxygenation indices. A systematic nocturnal CO₂ recording is useful in all children presenting with SDB, whatever the underlying disease.