



**“Global Strategy for the Diagnosis, Management, and Prevention of Chronic Obstructive Lung Disease 2017 Report: GOLD Executive Summary.”**

Claus F. Vogelmeier, Gerard J. Criner, Fernando J. Martinez, Antonio Anzueto, Peter J. Barnes, Jean Bourbeau, Bartolome R. Celli, Rongchang Chen, Marc Decramer, Leonardo M. Fabbri, Peter Frith, David M.G. Halpin, M. Victorina López Varela, Masaharu Nishimura, Nicolas Roche, Roberto Rodriguez-Roisin, Don D. Sin, Dave Singh, Robert Stockley, Jørgen Vestbo, Jadwiga A. Wedzicha and Alvar Agusti. *Eur Respir J* 2017; 49: 1700214.

This article from the March 2017 issue of the *European Respiratory Journal* was published with an error in figure 4. The item “heterogeneous emphysema” appeared twice on the third line of the flowchart in the figure, when the chart should have distinguished between “heterogeneous emphysema” and “homogeneous emphysema” categories. The corrected figure is shown below, and the article has been corrected and republished online.




FIGURE 4 Interventional bronchoscopic and surgical treatments for chronic obstructive pulmonary disease (COPD). Overview of various therapies used to treat patients with COPD and emphysema worldwide. Note that not all therapies are approved for clinical care in all countries. Additionally, the effects of bronchoscopic lung volume reduction (BLVR) or survival on other long-term outcomes or comparison to lung volume reduction surgery (LVRS) are unknown. EBV: endobronchial valve; LVRC: lung volume reduction coil. #: at some but not all centres.